SURGICAL SMOKE EVACUATION SYSTEM REQUIREMENTS
2020 GENERAL SESSION
STATE OF UTAH
Chief Sponsor: Kathleen Riebe
House Sponsor:
LONG TITLE
General Description:
This bill establishes requirements for surgical facilities to develop policies to evacuate
surgical smoke.
Highlighted Provisions:
This bill:
defines terms;
 directs facilities that conduct surgeries to develop policies to eliminate exposure to
surgical smoke; and
► implements a deadline for the facilities to report their new policies to the
Department of Health.
Money Appropriated in this Bill:
None
Other Special Clauses:
None
Utah Code Sections Affected:
ENACTS:
26-21-33 , Utah Code Annotated 1953



27

Section 1. Section 26-21-33 is enacted to read:

S.B. 105 02-05-20 5:00 PM

28	26-21-33. Regulation of surgical smoke.
29	(1) As used in this section:
30	(a) "Surgical smoke" means the gaseous by-product produced by energy-generating
31	devices including surgical plume, smoke plume, bio-aerosols, laser-generated airborne
32	contaminants, or lung-damaging dust.
33	(b) "Surgical smoke evacuation system" means equipment designed to capture and
34	neutralize surgical smoke at the point of origin and before the surgical smoke makes contact
35	with the eyes or the respiratory tract of the individuals in a room.
36	(2) Each specialty hospital that offers surgical procedures, each ambulatory surgical
37	facility, and each general acute hospital shall adopt and implement a policy that prevents
38	human exposure to smoke via the use of a surgical smoke evacuation system during any
39	planned surgical procedure that is likely to generate surgical smoke.
40	(3) On or before January 1, 2021, each entity described in Subsection (2) shall submit
41	to the department policies the entity has developed to comply with this section.